



## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Validation Output](#)

This page is **not** Valid XHTML 1.0 Strict!

<b>Result:</b>	Failed validation, 16 Errors	
<b>Address :</b>	<input type="text" value="http://www.regione.veneto.it/Organizzazione+Regionale/Presidente/segret"/>	
<b>Encoding :</b>	utf-8	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source       Show Outline       List Messages Sequentially     Group Error Messages by type  
 Validate error pages     Verbose Output       Clean up Markup with HTML Tidy

[Help](#) on the options is available.

Revalidate

↑ TOP

### Validation Output: 16 Errors

**Line 123, Column 7: required attribute "type" not specified.**

```
<script>.
```

The attribute given above is required for an element that you've used, but you have omitted it. For instance, in most HTML and XHTML document types the "type" attribute is required on the "script" element and the "alt" attribute is required for the "img" element.

Typical values for type are type="text/css" for <style> and type="text/javascript" for <script>.

**Line 126, Column 26: character "<" is the first character of a delimiter but occurred as data.**

```
var HTML_TAG_PATTERN = "<.*?>"
```

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "&lt;"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&amp;", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

**Line 136, Column 6: required attribute "action" not specified.**

```
<form>.</form>
```

The attribute given above is required for an element that you've used, but you have omitted it. For instance, in most HTML and XHTML document types the "type" attribute is required on the "script" element and the "alt" attribute is required for the "img" element.

Typical values for type are type="text/css" for <style> and type="text/javascript" for <script>.

**✖ Line 137, Column 19: value of attribute "method" cannot be "GET"; must be one of "get", "post".**

```
<form method="GET" action="http://search.regione.veneto.it/search" id="obj-sea
```

The value of the attribute is defined to be one of a list of possible values but in the document it contained something that is not allowed for that type of attribute. For instance, the "selected" attribute must be either minimized as "selected" or spelled out in full as "selected="selected"; a value like "selected="true" is not allowed.

**✖ Line 139, Column 48: document type does not allow element "label" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
<label class="magic" for="obj-searchbox-input">Cerca </label>
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there and can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✖ Line 140, Column 72: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
...input" type="text" name="q" maxlength="255" />
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there and can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✖ Line 141, Column 78: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
...="submit" name="btnG" value="Ricerca" />
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there and can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✖ Line 142, Column 55: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
<input type="hidden" name="sort" value="date:D:L:d1"/>
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✘ Line 143, Column 56: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
<input type="hidden" name="output" value="xml_no_dtd"/>.
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✘ Line 144, Column 62: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
..t type="hidden" name="site" value="default_collection"/>.
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✘ Line 145, Column 47: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
<input type="hidden" name="ie" value="UTF-8"/>.
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✘ Line 146, Column 47: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
<input type="hidden" name="oe" value="UTF-8"/>.
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✘ Line 147, Column 62: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
...t type="hidden" name="client" value="default_frontend"/>.
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✘ Line 148, Column 75: document type does not allow element "input" here; missing one of "p", "h1", "h2", "h3", "h4", "h5", "h6", "div", "pre", "address", "fieldset", "ins", "del" start-tag.**

```
...stylesheet" value="frontend_accessible"/>.
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

**✘ Line 201, Column 13: there is no attribute "type".**

```
<SCRIPT type="text/javascript">
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional" document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the element-undefined error message for further information.

How to fix: check the spelling and case of the element and attribute. (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the <embed> element to incorporate flash media in a Web page, see the [FAQ item on valid flash](#).

**✘ Line 201, Column 30: element "SCRIPT" undefined.**

```
<SCRIPT type="text/javascript">.
```

You have used the element named above in your document, but the document type you are using does not define an element of that name. This error is often caused by:

- incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Frameset" document type to get the "<frameset>" element),
- by using vendor proprietary extensions such as "<spacer>" or "<marquee>" (this is usually fixed by using CSS to achieve the desired effect instead).
- by using upper-case tags in XHTML (in XHTML attributes and elements must be all lower-case).

**Line 126, Column 27: XML Parsing Error: StartTag: invalid element name.**

```
var HTML_TAG_PATTERN = "<.*?>"
```

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



This is the W3C Markup Validator, [v0.8.2](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C  
LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY.  
YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND  
MEMBER PRIVACY STATEMENTS.

